



## Cornelia de Lange syndrome

Cornelia de Lange syndrome is a developmental disorder that affects many parts of the body. The features of this disorder vary widely among affected individuals and range from relatively mild to severe.

Cornelia de Lange syndrome is characterized by slow growth before and after birth leading to short stature; intellectual disability that is usually moderate to severe; and abnormalities of bones in the arms, hands, and fingers. Most people with Cornelia de Lange syndrome also have distinctive facial features, including arched eyebrows that often meet in the middle (synophrys), long eyelashes, low-set ears, small and widely spaced teeth, and a small and upturned nose. Many affected individuals also have behavior problems similar to autism, a developmental condition that affects communication and social interaction.

Additional signs and symptoms of Cornelia de Lange syndrome can include excessive body hair (hypertrichosis), an unusually small head (microcephaly), hearing loss, and problems with the digestive tract. Some people with this condition are born with an opening in the roof of the mouth called a cleft palate. Seizures, heart defects, and eye problems have also been reported in people with this condition.

### Frequency

Although the exact incidence is unknown, Cornelia de Lange syndrome likely affects 1 in 10,000 to 30,000 newborns. The condition is probably underdiagnosed because affected individuals with mild or uncommon features may never be recognized as having Cornelia de Lange syndrome.

### Genetic Changes

Cornelia de Lange syndrome can result from mutations in at least five genes: *NIPBL*, *SMC1A*, *HDAC8*, *RAD21*, and *SMC3*. Mutations in the *NIPBL* gene have been identified in more than half of all people with this condition; mutations in the other genes are much less common.

The proteins produced from all five genes contribute to the structure or function of the cohesin complex, a group of proteins with an important role in directing development before birth. Within cells, the cohesin complex helps regulate the structure and organization of chromosomes, stabilize cells' genetic information, and repair damaged DNA. The cohesin complex also regulates the activity of certain genes that guide the development of limbs, face, and other parts of the body.

Mutations in the *NIPBL*, *SMC1A*, *HDAC8*, *RAD21*, and *SMC3* genes cause Cornelia de Lange syndrome by impairing the function of the cohesin complex, which disrupts gene regulation during critical stages of early development.

The features of Cornelia de Lange syndrome vary widely, and the severity of the disorder can differ even in individuals with the same gene mutation. Researchers suspect that additional genetic or environmental factors may be important for determining the specific signs and symptoms in each individual. In general, *SMC1A*, *RAD21*, and *SMC3* gene mutations cause milder signs and symptoms than *NIPBL* gene mutations. Mutations in the *HDAC8* gene cause a somewhat different set of features, including delayed closure of the "soft spot" on the head (the anterior fontanelle) in infancy, widely spaced eyes, and dental abnormalities. Like affected individuals with *NIPBL* gene mutations, those with *HDAC8* gene mutations may have significant intellectual disability.

In about 30 percent of cases, the cause of Cornelia de Lange syndrome is unknown. Researchers are looking for additional changes in the five known genes, as well as mutations in other genes, that may cause this condition.

### **Inheritance Pattern**

When Cornelia de Lange syndrome is caused by mutations in the *NIPBL*, *RAD21*, or *SMC3* gene, the condition is considered to have an autosomal dominant pattern of inheritance. Autosomal dominant inheritance means one copy of the altered gene in each cell is sufficient to cause the disorder. Most cases result from new gene mutations and occur in people with no history of the condition in their family.

When Cornelia de Lange syndrome is caused by mutations in the *HDAC8* or *SMC1A* gene, the condition has an X-linked dominant pattern of inheritance. A condition is considered X-linked if the mutated gene that causes the disorder is located on the X chromosome, one of the two sex chromosomes. Studies of X-linked Cornelia de Lange syndrome indicate that one copy of the altered gene in each cell may be sufficient to cause the condition. Unlike X-linked recessive conditions, in which males are more frequently affected or experience more severe symptoms than females, X-linked dominant Cornelia de Lange syndrome appears to affect males and females similarly. Most cases result from new mutations in the *HDAC8* or *SMC1A* gene and occur in people with no history of the condition in their family.

### **Other Names for This Condition**

- BDLS
- Brachmann-de Lange syndrome
- CdLS

- de Lange syndrome
- typus degenerativus amstelodamensis

## **Diagnosis & Management**

These resources address the diagnosis or management of Cornelia de Lange syndrome:

- CdLS World: CdLS Diagnostic Criteria Checklist  
<http://www.cdlsworld.org/xwiki/bin/view/CdLSWorld/topicDiagnosisCriteria>
- CdLS World: Management and Treatment Guidelines for CdLS  
<http://www.cdlsworld.org/xwiki/bin/view/CdLSWorld/TreatmentGuidelinesPreventiveCare>
- CdLS World: Treatment Protocols  
<http://www.cdlsworld.org/xwiki/bin/view/CdLSWorld/CdLSTreatmentProtocols>
- Cornelia de Lange Syndrome Foundation: Diagnosis of CdLS  
<http://www.cdlsusa.org/what-is-cdls/diagnosis-of-cdls.htm>
- Cornelia de Lange Syndrome Foundation: Treatment Protocols  
<http://www.cdlsusa.org/what-is-cdls/treatment-protocols.htm>
- GeneReview: Cornelia de Lange Syndrome  
<https://www.ncbi.nlm.nih.gov/books/NBK1104>
- Genetic Testing Registry: De Lange syndrome  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0270972/>

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests  
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy  
<https://medlineplus.gov/drugtherapy.html>
- Surgery and Rehabilitation  
<https://medlineplus.gov/surgeryandrehabilitation.html>
- Genetic Counseling  
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care  
<https://medlineplus.gov/palliativecare.html>

## **Additional Information & Resources**

### MedlinePlus

- Encyclopedia: Autism  
<https://medlineplus.gov/ency/article/001526.htm>
- Encyclopedia: Microcephaly  
<https://medlineplus.gov/ency/article/003272.htm>
- Health Topic: Developmental Disabilities  
<https://medlineplus.gov/developmentaldisabilities.html>

### Genetic and Rare Diseases Information Center

- Cornelia de Lange syndrome  
<https://rarediseases.info.nih.gov/diseases/10109/cornelia-de-lange-syndrome>

### Educational Resources

- Disease InfoSearch: Cornelia de Lange Syndrome (CdLS)  
[http://www.diseaseinfosearch.org/Cornelia+de+Lange+Syndrome+\(CdLS\)/1917](http://www.diseaseinfosearch.org/Cornelia+de+Lange+Syndrome+(CdLS)/1917)
- Genetics Education Materials for School Success (GEMSS)  
<http://www.gemssforschools.org/conditions/cornelia-de-lange/default>
- MalaCards: cornelia de lange syndrome  
[http://www.malacards.org/card/cornelia\\_de\\_lange\\_syndrome](http://www.malacards.org/card/cornelia_de_lange_syndrome)
- My46 Trait Profile  
<https://www.my46.org/trait-document?trait=Cornelia%20de%20Lange%20syndrome&type=profile>
- Orphanet: Cornelia de Lange syndrome  
[http://www.orpha.net/consor/cgi-bin/OC\\_Exp.php?Lng=EN&Expert=199](http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=199)
- UC Davis Children's Hospital  
[http://www.ucdmc.ucdavis.edu/children/clinical\\_services/cleft\\_craniofacial/anomalies/cornelia.html](http://www.ucdmc.ucdavis.edu/children/clinical_services/cleft_craniofacial/anomalies/cornelia.html)

### Patient Support and Advocacy Resources

- CdLS UK and Ireland: The Cornelia de Lange Syndrome Foundation  
<http://www.cdls.org.uk>
- CdLS World: The International Federation of National CdLS Support Organizations  
<http://www.cdlsworld.org/xwiki/bin/view/Main/WebHome>
- Cornelia de Lange Syndrome Foundation  
<http://www.cdlsusa.org/>

- National Organization for Rare Disorders (NORD)  
<https://rarediseases.org/rare-diseases/cornelia-de-lange-syndrome/>
- Resource list from the University of Kansas Medical Center  
<http://www.kumc.edu/gec/support/cornelia.html>

#### GeneReviews

- Cornelia de Lange Syndrome  
<https://www.ncbi.nlm.nih.gov/books/NBK1104>

#### Genetic Testing Registry

- Congenital muscular hypertrophy-cerebral syndrome  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1802395/>
- Cornelia de Lange syndrome 1  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/CN029798/>
- Cornelia de Lange syndrome 3  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1853099/>
- Cornelia de Lange syndrome 4  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C3553517/>
- Cornelia de Lange syndrome 5  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C3550903/>
- De Lange syndrome  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0270972/>

#### ClinicalTrials.gov

- ClinicalTrials.gov  
<https://clinicaltrials.gov/ct2/results?cond=%22Cornelia+de+Lange+syndrome%22>

#### Scientific articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28De+Lange+Syndrome%5BMAJR%5D%29+AND+%28Cornelia+de+Lange+syndrome%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1080+days%22%5Bdp%5D>

#### OMIM

- CORNELIA DE LANGE SYNDROME 1  
<http://omim.org/entry/122470>
- CORNELIA DE LANGE SYNDROME 2  
<http://omim.org/entry/300590>

- CORNELIA DE LANGE SYNDROME 3  
<http://omim.org/entry/610759>
- CORNELIA DE LANGE SYNDROME 4  
<http://omim.org/entry/614701>
- CORNELIA DE LANGE SYNDROME 5  
<http://omim.org/entry/300882>

## Sources for This Summary

- Boyle MI, Jespersgaard C, Brøndum-Nielsen K, Bisgaard AM, Tümer Z. Cornelia de Lange syndrome. *Clin Genet.* 2015 Jul;88(1):1-12. doi: 10.1111/cge.12499. Epub 2014 Oct 28. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/25209348>
- Deardorff MA, Bando M, Nakato R, Watrin E, Itoh T, Minamino M, Saitoh K, Komata M, Katou Y, Clark D, Cole KE, De Baere E, Decroos C, Di Donato N, Ernst S, Francey LJ, Gyftodimou Y, Hirashima K, Hullings M, Ishikawa Y, Jaulin C, Kaur M, Kiyono T, Lombardi PM, Magnaghi-Jaulin L, Mortier GR, Nozaki N, Petersen MB, Seimiya H, Siu VM, Suzuki Y, Takagaki K, Wilde JJ, Willems PJ, Prigent C, Gillessen-Kaesbach G, Christianson DW, Kaiser FJ, Jackson LG, Hirota T, Krantz ID, Shirahige K. HDAC8 mutations in Cornelia de Lange syndrome affect the cohesin acetylation cycle. *Nature.* 2012 Sep 13;489(7415):313-7. doi: 10.1038/nature11316.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/22885700>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3443318/>
- Deardorff MA, Wilde JJ, Albrecht M, Dickinson E, Tennstedt S, Braunholz D, Mönnich M, Yan Y, Xu W, Gil-Rodríguez MC, Clark D, Hakonarson H, Halbach S, Michelis LD, Rampuria A, Rossier E, Spranger S, Van Maldergem L, Lynch SA, Gillessen-Kaesbach G, Lüdecke HJ, Ramsay RG, McKay MJ, Krantz ID, Xu H, Horsfield JA, Kaiser FJ. RAD21 mutations cause a human cohesinopathy. *Am J Hum Genet.* 2012 Jun 8;90(6):1014-27. doi: 10.1016/j.ajhg.2012.04.019. Epub 2012 May 24.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/22633399>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3370273/>
- GeneReview: Cornelia de Lange Syndrome  
<https://www.ncbi.nlm.nih.gov/books/NBK1104>
- Kaiser FJ, Ansari M, Braunholz D, Concepción Gil-Rodríguez M, Decroos C, Wilde JJ, Fincher CT, Kaur M, Bando M, Amor DJ, Atwal PS, Bahlo M, Bowman CM, Bradley JJ, Brunner HG, Clark D, Del Campo M, Di Donato N, Diakumis P, Dubbs H, Dyment DA, Eckhold J, Ernst S, Ferreira JC, Francey LJ, Gehlken U, Guillén-Navarro E, Gyftodimou Y, Hall BD, Hennekam R, Hudgins L, Hullings M, Hunter JM, Yntema H, Innes AM, Kline AD, Krumina Z, Lee H, Leppig K, Lynch SA, Mallozzi MB, Mannini L, McKee S, Mehta SG, Micule I; Care4Rare Canada Consortium, Mohammed S, Moran E, Mortier GR, Moser JA, Noon SE, Nozaki N, Nunes L, Pappas JG, Penney LS, Pérez-Aytés A, Petersen MB, Puisac B, Revencu N, Roeder E, Saitta S, Scheuerle AE, Schindeler KL, Siu VM, Stark Z, Strom SP, Thiese H, Vater I, Willems P, Williamson K, Wilson LC; University of Washington Center for Mendelian Genomics, Hakonarson H, Quintero-Rivera F, Wierzba J, Musio A, Gillessen-Kaesbach G, Ramos FJ, Jackson LG, Shirahige K, Pié J, Christianson DW, Krantz ID, Fitzpatrick DR, Deardorff MA. Loss-of-function HDAC8 mutations cause a phenotypic spectrum of Cornelia de Lange syndrome-like features, ocular hypertelorism, large fontanelle and X-linked inheritance. *Hum Mol Genet.* 2014 Jun 1;23(11):2888-900. doi: 10.1093/hmg/ddu002. Epub 2014 Jan 8.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/24403048>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4014191/>

- Krantz ID, McCallum J, DeScipio C, Kaur M, Gillis LA, Yaeger D, Jukofsky L, Wasserman N, Bottani A, Morris CA, Nowaczyk MJ, Toriello H, Bamshad MJ, Carey JC, Rappaport E, Kawauchi S, Lander AD, Calof AL, Li HH, Devoto M, Jackson LG. Cornelia de Lange syndrome is caused by mutations in NIPBL, the human homolog of *Drosophila melanogaster* Nipped-B. *Nat Genet.* 2004 Jun;36(6):631-5. Epub 2004 May 16.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/15146186>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4902017/>
- Mannini L, Cucco F, Quarantotti V, Krantz ID, Musio A. Mutation spectrum and genotype-phenotype correlation in Cornelia de Lange syndrome. *Hum Mutat.* 2013 Dec;34(12):1589-96. doi: 10.1002/humu.22430. Epub 2013 Sep 16. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/24038889>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3880228/>
- Musio A, Selicorni A, Focarelli ML, Gervasini C, Milani D, Russo S, Vezzoni P, Larizza L. X-linked Cornelia de Lange syndrome owing to SMC1L1 mutations. *Nat Genet.* 2006 May;38(5):528-30. Epub 2006 Apr 9.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/16604071>
- Tonkin ET, Wang TJ, Lisgo S, Bamshad MJ, Strachan T. NIPBL, encoding a homolog of fungal Scc2-type sister chromatid cohesion proteins and fly Nipped-B, is mutated in Cornelia de Lange syndrome. *Nat Genet.* 2004 Jun;36(6):636-41. Epub 2004 May 16.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/15146185>
- Yuan B, Pehlivan D, Karaca E, Patel N, Charng WL, Gamin T, Gonzaga-Jauregui C, Sutton VR, Yesil G, Bozdogan ST, Tos T, Koparir A, Koparir E, Beck CR, Gu S, Aslan H, Yuregir OO, Al Rubeaan K, Alnaqeb D, Alshammari MJ, Bayram Y, Atik MM, Aydin H, Geckinli BB, Seven M, Ulucan H, Fenercioglu E, Ozen M, Jhangiani S, Muzny DM, Boerwinkle E, Tuysuz B, Alkuraya FS, Gibbs RA, Lupski JR. Global transcriptional disturbances underlie Cornelia de Lange syndrome and related phenotypes. *J Clin Invest.* 2015 Feb;125(2):636-51. doi: 10.1172/JCI77435. Epub 2015 Jan 9.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/25574841>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4319410/>

---

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/cornelia-de-lange-syndrome>

Reviewed: September 2015

Published: January 24, 2017

Lister Hill National Center for Biomedical Communications  
U.S. National Library of Medicine  
National Institutes of Health  
Department of Health & Human Services